

CSL | ACROBAT DOWNLIGHTS



The Pinnacle of Performance and Precision
1", 2", 3", 4" LED Recessed Downlight

PERFORMANCE & PRECISION

CSL Acrobat is the ultimate performer, engineered to deliver premium light quality and control in any application, to the most exacting standard. Acrobat's light module installs separately from the housing, at the end of construction. It easily adjusts up or down, independent of the housing, to guarantee a tight fit between the optic holder and the reflector to hide internal components and maintain a professional, clean look below the ceiling.

Adjustability is quick, easy, and precise. The light module rotates 360°, and a twist of the custom lead screw tilts the module to the desired degree and locks it in place. Acrobat's housings are designed and engineered to fit into tight spaces and optimize performance in any type of installation environment and ceiling material.


Acrobat LED modules house CSL's patented Silent Vu™ optics, a unique system that converges light output through the optic to provide an exceptional quality of light with minimal glare.

Designed as an emergency lighting solution, Acrobat EBAT (Emergency Battery Acrobat) ensures code compliance while offering a wide range of options and maintaining aesthetic appeal. This sleek fixture features an integrated test switch to allow for frequent routine inspections. Compatible with A3 and A4 round fixtures, it installs in NC (and possibly IC) housings.


The Acrobat ACT (Acoustic Ceiling Tile) option is designed to integrate with premium Acoustic Ceiling Tile with ultra-low density. Sitting flush with the tile grid, it maintains optimal acoustic performance while providing focused illumination. Compatible with IC and NC housings, ACT is available with multiple lens options to meet your specific needs.

Key Features:

- The SP trims are just a reflector and flange; perfect for customers who need only those particular parts!
- IC/NC trims can be used for replacements on-site for IC/NC/RM housings.



Adjustability is quick, easy, and precise. The light module rotates 360°. A twist of the custom lead screw tilts the module to the desired degree and locks it in place.




Fixed



Adjustable



Wall Wash



DESIGN

Acrobat LED modules house CSL's patented Silent Vu™ optics, a unique system that converges light output through the optic to provide quality light with minimal glare.

REFLECTOR

Round or Square Shape
Standard, Pinhole, Slot Pinhole, Wall Wash,
Adjustable Lensed Style
White, Black, Champagne, Satin Aluminum,
Clear Alzak Finish

MEDIA


Clear Lens, Solite Lens,
Frosted Lens, Linear Spread Lens

ADJUSTABLE

Lead Screw
0° to 40° tilt (Adjustable housings only)

INPUT VOLTAGE

120-277V, 50/60Hz
Multiple Dimming Drivers Available
Below Ceiling Access




Some models may have limited options available. See specification sheet for details.

HOUSING
NEW CONSTRUCTION, REMODEL


Acrobat’s housings are designed and engineered to fit into tight spaces and optimize performance in any type of installation environment and ceiling material.




IC-R
Adjustable New Construction IC Housing - Round




IC-S
Adjustable New Construction IC Housing - Square




NC-R
Adjustable New Construction Housing - Round



NC-S
Adjustable New Construction Housing - Square



RM-R
Adjustable Remodel Housing - Round





RM-S
Adjustable Remodel Housing - Square


Some models may have limited options available. See specification sheet for details.

HOUSING
SHALLOW PLENUM


Shallow plenum housings adjust to any type of ceiling. They come ready to install into 2½" plenums with IC, Air Tight, and Chicago plenum (CCEA) certifications.




SIC-R
Shallow Plenum New Construction IC Housing - Round



SIC-S
Shallow Plenum New Construction IC Housing - Square




SNC-R
Shallow Plenum New Construction Housing - Round




SNC-S
Shallow Plenum New Construction Housing - Square


CEILING THICKNESS



-0
5/8" Ceiling Thickness




-1
1¼" Ceiling Thickness



-2
2" Ceiling Thickness

Some models may have limited options available. See specification sheet for details.



	1"	2"	3"	4"
PRECISE ADJUSTABILITY	30° TILT; 360° ROTATION	40° TILT; 360° ROTATION	40° TILT; 360° ROTATION	40° TILT; 360° ROTATION
AVAILABLE OPTICS	10°, 30°, 50°, 80° BEAM SPREAD			
MEDIA	CLEAR, SOLITE, FROSTED, WALL WASH, LINEAR SPREAD, HEX			
MAX WATTAGE	10W, 15W	10W, 15W, 20W	10W, 15W, 20W, 25W	10W, 15W, 20W, 25W, 30W, 35W
MAX DELIVERED LUMENS	1197	1855	2305	2954
EFFICACY (LM/W)	UP TO 81.5	UP TO 96.2	UP TO 101	UP TO 102.3
CCT @ 90 CRI	2700K, 3000K, 3500K, 4000K, WARM DIM			
LED LIFETIME	L70>55,000 HOURS			
DIMMING TYPES	TRIAC/ELV, 0-10V, ECOSYSTEM			
SERVICABILITY	BELOW CEILING			
MINIMUM PLENUM	2 1/2"	2 1/2"	2 1/2"	3 1/8"




TRIM FINISHES

ROUND & SQUARE




RSTWT-STWT

WT - White Trim
WT - White Reflector




RSTBK-STBK

BK - Black Trim
BK - Black Reflector




RSTCN-STCN

CN - Champagne Trim
CN - Champagne Reflector




RSTWT-STSA

WT - White Trim
SA - Silver Reflector




RSTWT-STBK

WT - White Trim
BK - Black Reflector



RSTWT-STCN

WT - White Trim
CN - Champagne Reflector




SSTWT-STWT

WT - White Trim
WT - White Reflector




SSTBK-STBK

BK - Black Trim
BK - Black Reflector




SSTCN-STCN

CN - Champagne Trim
CN - Champagne Reflector




SSTWT-STSA

WT - White Trim
SA - Silver Reflector



SSTWT-STBK

WT - White Trim
BK - Black Reflector




SSTWT-STCN

WT - White Trim
CN - Champagne Reflector

Trim and reflector ship separately to allow for customization. Custom color available only for ST (Standard) Trim.

TRIM STYLE
ROUND




RST
Round Standard Trim
(with Standard Reflector)

RTL
Round Trimless Mud Plate
(with Standard Reflector)


RWC
Round Wood Ceiling Trim
(with Standard Reflector)

REFLECTOR
ROUND



Custom color available only for ST (Standard), AL (Adjustable Lens), and EM (Emergency Battery Pack) Reflectors.
Wet Location rated when used with Additional Reflector Lens.

TRIM STYLE
SQUARE




SST
Square Standard Trim
(with Standard Reflector)

STL
Square Trimless Mud Plate
(with Standard Reflector)

SWC
Square Wood Ceiling Trim
(with Standard Reflector)

REFLECTOR
SQUARE



Custom color available only for ST (Standard) and AL (Adjustable Lens) Reflectors.
Wet Location rated when used with Additional Reflector Lens.



CSL

ACROBAT
DOWNLIGHTS



See Product Video



WET
LOCATION

DAMP
LOCATION

IC
RATED

SSS
AIRTIGHT



JA8 TITLE
COMPLIANT
90 CRI OPTION ONLY

5 YEAR
LIMITED WARRANTY

14508 Nelson Avenue | City of Industry, CA 91744 | P: 626.336.4511 | F: 626.330.4266 | www.csllighting.com



C-CACR12-21

A Division of Troy-CSL Lighting, Inc.

Copyright ©2025 Troy-CSL Lighting, Inc.

CSL

CREATIVE SYSTEMS LIGHTING