

CSL | FORME



The Foundation of Performance Lighting

3" Cylinder | 3" Downlight Fixed and Adjustable

CSL

FORME

CSL Forme represents where performance begins — a lighting collection designed to bring CSL’s trusted quality, precision engineering, and architectural refinement to every project. Built with the same optics and LED technology that define CSL’s premium lines, CSL Forme delivers exceptional glare-free light quality in a simplified, accessible form. Available with a new adjustable option, CSL Forme adds greater flexibility and directional control while maintaining the collection’s streamlined aesthetic and dependable performance.

Clean lines, minimal silhouettes, and reliable quick-ship availability make CSL Forme the go-to choice for spaces that demand efficiency without compromise. Whether illuminating commercial, hospitality, or residential spaces, CSL Forme keeps projects on track, on time, and aligned with budget goals — all while maintaining the performance and design integrity CSL is known for.

From concept to completion, CSL Forme is the starting point of great design — grounded, reliable, and brilliantly executed.

CSL FORME	CYLINDER	DOWNLIGHT Fixed and Adjustable Module	
DIAMETER	3"	3"	
RATED WATTAGES	14W	SWITCHABLE-POWER 8W/12W SINGLE-POWER 12W	
DELIVERED LUMENS	UP TO 1396 LM	UP TO 1136 LM	
EFFICACY	UP TO 101 LPW	UP TO 115 LPW	
OPTICS	50° INSTALLED - 10°, 30°, 80° AVAILABLE		
ADJUSTABLE	N/A	40° OF ADJUSTABILITY	
MEDIA	CLEAR, SOLITE, FROSTED, LINEAR SPREAD, HEX LOUVER		
CCT @ 90 CRI	2700K, 3000K, 3500K		
LED LIFETIME	>55,000 HRS @ L80		
INPUT VOLTAGE	120/277V 50/60Hz	SWITCHABLE POWER SUPPLY	SINGLE POWER SUPPLY
		120V 50/60Hz	120/277V 50/60Hz
DIMMING	TRIAC, ELV, 0-10V, DIMS TO 1%	TRIAC & ELV DIMS to 5%	TRIAC, ELV and 0-10V, DIMS to 1%
MINIMUM PLENUM	N/A	2 1/2" WITH 5/8" CEILING THICKNESS	
LISTING	UL LISTED DAMP RATED, 40° AMBIENT	UL LISTED DAMP RATED ALL TRIMS, WET LOCATION WITH WET LOCATION TRIM, IC @ 40° AMBIENT	
SERVICEABILITY	BELOW CEILING ACCESS		

NOTE: MAX DELIVERED LUMENS AVAILABLE WITH 30° OPTIC AT 3500K CCT. CONSULT SPEC SHEET FOR FULL PRODUCT DETAILS.




Cylinders only available in white or black finish

STANDARD TRIM STYLES



Only available in white or black finish






PREMIUM TRIM FINISHES





PREMIUM TRIM STYLES





ED3-RAWR
ROUND ADJUSTABLE
WET LOCATION REGRESSED





ED3-RFWW2
ROUND FIXED WALL WASH





ED3-RFTL
ROUND TRIMLESS





ED3-RFDF
ROUND FIXED DEAD FRONT



ED3-SFST
SQUARE STANDARD TRIM



ED3-SAWR
SQUARE ADJUSTABLE
WET LOCATION REGRESSED



ED3-SFWW2
SQUARE FIXED WALL WASH

CSL

CREATIVE SYSTEMS LIGHTING

14508 Nelson Avenue | City of Industry, CA 91744

P: 626.336.4511 | F: 626.330.4266 | cslighting.com